



PRECISION[®]

Pipes | Desh ki Lifeline



Electrical Price List - 7th June 2023

ROUND CONDUIT uPVC PIPES & FITTINGS

Precision Round Conduit uPVC Pipes and Fittings are manufactured from a specially formulated unplasticised polyvinyl chloride (uPVC) to meet the most stringent Indian and International standards. Our products are made of extra super high impact material which make them safe to use in harsh environments. The products are manufactured in accordance with IS 9537 - Part 3, BS EN 61386-21 for uPVC conduits, IS 3419:1988 and BS 4607 for uPVC fittings.

1st time in India

Our Premium range of TRANSPARENT ROUND CONDUIT uPVC PIPES AND FITTINGS are also available in Red, Green, Blue & Yellow colours on request.

Applications

Channelising concealed and surface wiring.
Telecommunication and cable ducting.

DIMENSIONS OF ROUND CONDUIT uPVC PIPES IS 9537 - PART 3

Nominal Size (mm)	Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Inside Diameter (Min.) (mm)		
			Light	Medium	Heavy
20	20	-0.3	17.4	16.9	15.8
25	25	-0.4	22.1	21.4	20.6
32	32	-0.4	28.6	27.8	26.6
40	40	-0.4	35.8	35.4	34.4
50	50	-0.5	45.1	44.3	43.2
63	63	-0.6	57.0	-	-
#SPECIAL SIZES					
19	19	-0.3	16.5	16.0	15.1
38	38	-0.4	33.7	33.4	32.4

Features



Various Diameters & Grades



Fire retardant & corrosion free



Easy and quick installation



Thermal resistant (-5° C to +60° C)




Durable & Impact resistant



Laser Engraved Pipe

- Light, medium and heavy mechanical stress, to suit various applications and site conditions
- Wide range of component maximises application
- Precision circular boxes and adaptable boxes are provided with M4 brass insert with a load suspension capacity of 3 Kgs at +60° C



ROUND CONDUIT uPVC PIPES (SOCKETED)

HSN : 39172310



≈ FRLS CE ☽ U.V.S.

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
LMS (LIGHT MECHANICAL STRESS)						
# 1	PRCS 19L	19	100 x 3m	300	-	20.25
# 2	PRCS 19LNI	19	40 x 3m	-	120	20.25
3	PRCS 20L	20	100 x 3m	300	-	22.75
4	PRCS 20LNI	20	40 x 3m	-	120	22.75
5	PRCS 25L	25	100 x 3m	300	-	31.75
6	PRCS 25LNI	25	25 x 3m	-	75	31.75
7	PRCS 32L	32	50 x 3m	150	-	43.25
8	PRCS 32LNI	32	10 x 3m	-	30	43.25
# 9	PRCS 38L	38	30 x 3m	90	-	52.50
10	PRCS 40L	40	25 x 3m	75	-	69.50
11	PRCS 40LNI	40	5 x 3m	-	15	69.50
12	PRCS 50L	50	20 x 3m	60	-	99.50
13	PRCS 50LNI	50	5 x 3m	-	15	99.50
14	PRCS 63L	63	18 x 3m	54	-	152.00

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
MMS (MEDIUM MECHANICAL STRESS)						
# 15	PRCS 19M	19	100 x 3m	300	-	23.75
# 16	PRCS 19MNI	19	40 x 3m	-	120	23.75
17	PRCS 20M	20	100 x 3m	300	-	25.50
18	PRCS 20MNI	20	40 x 3m	-	120	25.50
19	PRCS 25M	25	100 x 3m	300	-	35.75
20	PRCS 25MNI	25	25 x 3m	-	75	35.75
21	PRCS 32M	32	50 x 3m	150	-	53.50
22	PRCS 32MNI	32	10 x 3m	-	30	53.50
# 23	PRCS 38M	38	30 x 3m	90	-	76.00
24	PRCS 40M	40	25 x 3m	75	-	76.50
25	PRCS 40MNI	40	5 x 3m	-	15	76.50
26	PRCS 50M	50	20 x 3m	60	-	116.00
27	PRCS 50MNI	50	5 x 3m	-	15	116.00

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
HMS (HEAVY MECHANICAL STRESS)						
# 28	PRCS 19H	19	100 x 3m	300	-	30.50
# 29	PRCS 19HNI	19	40 x 3m	-	120	30.50
30	PRCS 20H	20	100 x 3m	300	-	35.25
31	PRCS 20HNI	20	40 x 3m	-	120	35.25
32	PRCS 25H	25	50 x 3m	150	-	44.75
33	PRCS 25HNI	25	25 x 3m	-	75	44.75
34	PRCS 32H	32	50 x 3m	150	-	69.50
35	PRCS 32HNI	32	10 x 3m	-	30	69.50
# 36	PRCS 38H	38	30 x 3m	90	-	84.50
37	PRCS 40H	40	25 x 3m	75	-	91.00
38	PRCS 40HNI	40	5 x 3m	-	15	91.00
39	PRCS 50H	50	20 x 3m	60	-	138.00
40	PRCS 50HNI	50	5 x 3m	-	15	138.00

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
LMS (LIGHT MECHANICAL STRESS) ≈ FRLS ☽ UVS CE 						
# 41	PFRL 19LS	19	100 x 3m	300	-	21.25
# 42	PFRL 19LSNI	19	40 x 3m	-	120	21.25
43	PFRL 20LS	20	100 x 3m	300	-	24.00
44	PFRL 20LSNI	20	40 x 3m	-	120	24.00
45	PFRL 25LS	25	100 x 3m	300	-	33.25
46	PFRL 25LSNI	25	25 x 3m	-	75	33.25
47	PFRL 32LS	32	50 x 3m	150	-	45.50
48	PFRL 32LSNI	32	10 x 3m	-	30	45.50
# 49	PFRL 38LS	38	30 x 3m	90	-	55.00
50	PFRL 40LS	40	25 x 3m	75	-	73.00
51	PFRL 40LSNI	40	5 x 3m	-	15	73.00
52	PFRL 50LS	50	20 x 3m	60	-	104.00
53	PFRL 50LSNI	50	5 x 3m	-	15	104.00
54	PFRL 63LS	63	18 x 3m	54	-	159.00

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
MMS (MEDIUM MECHANICAL STRESS) ≈ FRLS ☽ UVS CE 						
# 55	PFRL 19MS	19	100 x 3m	300	-	25.00
# 56	PFRL 19MSNI	19	40 x 3m	-	120	25.00
57	PFRL 20MS	20	100 x 3m	300	-	26.75
58	PFRL 20MSNI	20	40 x 3m	-	120	26.75
59	PFRL 25MS	25	100 x 3m	300	-	37.50
60	PFRL 25MSNI	25	25 x 3m	-	75	37.50
61	PFRL 32MS	32	50 x 3m	150	-	56.00
62	PFRL 32 MSNI	32	10 x 3m	-	30	56.00
# 63	PFRL 38MS	38	30 x 3m	90	-	80.00
64	PFRL 40MS	40	25 x 3m	75	-	80.50
65	PFRL 40MSNI	40	5 x 3m	-	15	80.50
66	PFRL 50MS	50	20 x 3m	60	-	122.00
67	PFRL 50MSNI	50	5 x 3m	-	15	122.00

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		NORTH INDIA PACK	RATE Mtr.
		OD (mm)	Pc. x Mtr.	Mtr. / Bdl.	Mtr. / Bdl.	
HMS (HEAVY MECHANICAL STRESS) ≈ FRLS ☽ UVS CE 						
# 68	PFRL 19HS	19	100 x 3m	300	-	32.00
# 69	PFRL 19HSNI	19	40 x 3m	-	120	32.00
70	PFRL 20HS	20	100 x 3m	300	-	37.00
71	PFRL 20HSNI	20	40 x 3m	-	120	37.00
72	PFRL 25HS	25	50 x 3m	150	-	47.00
73	PFRL 25HSNI	25	25 x 3m	-	75	47.00
74	PFRL 32HS	32	50 x 3m	150	-	73.00
75	PFRL 32HSNI	32	10 x 3m	-	30	73.00
# 76	PFRL 38HS	38	30 x 3m	90	-	88.50
77	PFRL 40HS	40	25 x 3m	75	-	95.50
78	PFRL 40HSNI	40	5 x 3m	-	15	95.50
79	PFRL 50HS	50	20 x 3m	60	-	145.00
80	PFRL 50HSNI	50	5 x 3m	-	15	145.00

Special Size

≈ FRLS: Fire Retardant - Low Smoke

☽ UVS: Ultra Violet Stabilised

Lead Free for Green Environment

**ROUND CONDUIT
uPVC PIPES
(SOCKETED) FRLS
HSN : 39172310
SPECIAL SIZES**



#	SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Mtr.
				Pc. x Mtr.	Mtr. / Bdl.	
#	81	PRCS 19SPL	19 x 1mm	100 x 3m	300	17.00
#	82	PRCS 25SPL	25 x 1mm	100 x 3m	300	23.50

Special Size

**ROUND CONDUIT
uPVC PIPE FITTINGS**

HSN : 73201019



BENDING SPRING



SR. NO.	PRODUCT CODE	SIZE OD (mm)	COLOUR	STANDARD PACK		RATE Pc
				Pc/Bag	Pc/Carton	
LIGHT GAUGE						
83	PBS20L	20	Black	10	50	272.00
84	PBS25L	25	Black	5	25	360.00
MEDIUM GAUGE						
85	PBS20M	20	Silver	10	50	272.00
86	PBS25M	25	Silver	5	25	360.00
HEAVY GAUGE						
87	PBS20H	20	Gold	10	50	272.00
88	PBS25H	25	Gold	5	25	360.00

⊗ Suitable for 19mm LMS and 19mm MMS conduits also.

IS:3419



1988

ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



CIRCULAR BOX WITHOUT LID

**TERMINAL - 1 WAY
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
89	PRCB 191	19	20	600	17.25
90	PRCB 201	20	20	600	17.75
91	PRCB 251	25	15	450	22.25
92	PRCB 321	32	10	160	41.25
93	PRCB 401	40	10	160	49.75
94	PRCB 501	50	5	80	89.50

**TEE - 3 WAY
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
107	PRCB 193	19	20	400	19.75
108	PRCB 203	20	20	400	20.75
109	PRCB 253	25	15	300	26.75
110	PRCB 323	32	10	160	44.50
111	PRCB 403	40	10	160	56.50
112	PRCB 503	50	5	80	105.00

**ANGLE - 2 WAY
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
95	PRCB 192A	19	20	400	17.75
96	PRCB 202A	20	20	400	18.25
97	PRCB 252A	25	15	300	22.50
98	PRCB 322A	32	10	160	43.25
99	PRCB 402A	40	10	160	54.00
100	PRCB 502A	50	5	80	97.00

**INTERSECTION - 4 WAY
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
113	PRCB 194	19	20	400	21.50
114	PRCB 204	20	20	400	22.00
115	PRCB 254	25	15	240	30.25
116	PRCB 324	32	10	160	47.00
117	PRCB 404	40	10	160	64.50
118	PRCB 504	50	5	80	114.50

**THROUGH - 2 WAY
CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
101	PRCB 192S	19	20	400	17.75
102	PRCB 202S	20	20	400	18.25
103	PRCB 252S	25	15	300	22.50
104	PRCB 322S	32	10	160	43.25
105	PRCB 402S	40	10	160	54.00
106	PRCB 502S	50	5	80	97.00

**TERMINAL - 1 WAY
DEEP CIRCULAR BOX**



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
119	PRCB 191D	19	10	280	28.50
120	PRCB 201D	20	10	280	29.25
121	PRCB 251D	25	10	280	35.50
122	PRCB 321D	32	10	280	41.50



CIRCULAR BOX WITHOUT LID

ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
123	PRCB 192AD	19	10	280	30.00
124	PRCB 202AD	20	10	280	30.50
125	PRCB 252AD	25	10	280	36.75
126	PRCB 322AD	32	10	280	44.75

BRANCH - 3 WAY (Y) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
142	PRCB 19Y	19	20	400	33.00
143	PRCB 20Y	20	20	400	34.50
144	PRCB 25Y	25	15	300	45.50

THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
127	PRCB 192SD	19	10	200	30.00
128	PRCB 202SD	20	10	200	30.50
129	PRCB 252SD	25	10	200	36.75
130	PRCB 322SD	32	10	200	44.75

BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
145	PRCB 19H	19	15	300	34.75
146	PRCB 20H	20	15	300	35.75
147	PRCB 25H	25	15	300	48.75

TEE - 3 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
131	PRCB 193D	19	10	220	33.75
132	PRCB 203D	20	10	220	34.50
133	PRCB 253D	25	10	220	43.25
134	PRCB 323D	32	10	160	48.25

BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
148	PRCB 201 BO	20	20	400	30.25
149	PRCB 251 BO	25	15	300	43.25

INTERSECTION - 4 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
135	PRCB 194D	19	10	220	34.25
136	PRCB 204D	20	10	220	35.50
137	PRCB 254D	25	10	220	45.75
138	PRCB 324D	32	10	160	49.50

BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
150	PRCB 202S BO	20	20	400	30.75
151	PRCB 252S BO	25	15	300	45.50

BRANCH - 2 WAY (U) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
139	PRCB 19U	19	20	400	30.50
140	PRCB 20U	20	20	400	31.00
141	PRCB 25U	25	20	400	42.00

BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
152	PRCB 202A BO	20	20	400	30.75
153	PRCB 252A BO	25	15	300	45.50

BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
154	PRCB 203 BO	20	20	400	34.50
155	PRCB 253 BO	25	15	300	49.00



ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000



WITH SCREW CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
156	PRCL65	65	100	2000	5.25
157	PRCL80	80	100	2000	10.50
158	PRCL85	85	100	2000	10.50
159	PRCL90	90	100	1800	12.00
160	PRCL93	93	25	750	12.00
161	PRCL110	110	50	900	18.75

» 65 - For 19/20/25mm JB, DJB & 32 DJB ❏ 80 - For 32/40mm JB ~ 93 - For 50mm JB

WITHOUT SCREW CIRCULAR LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
162	PRCL65WS	65	100	2000	4.25
163	PRCL80WS	80	100	2000	10.00
164	PRCL85WS	85	100	2000	10.00
165	PRCL90WS	90	100	1800	11.50
166	PRCL93WS	93	25	750	11.50
167	PRCL110WS	110	50	900	18.25

CIRCULAR BOX WITH LID & SCREW

TERMINAL - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
168	PRCB 191L	19	20	600	23.50
169	PRCB 201L	20	20	600	24.00
170	PRCB 251L	25	15	450	28.50
171	PRCB 321L	32	10	160	52.75
172	PRCB 401L	40	10	160	61.25
173	PRCB 501L	50	5	80	102.50

THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
184	PRCB 192SL	19	20	400	24.00
185	PRCB 202SL	20	20	400	24.50
186	PRCB 252SL	25	15	300	28.75
187	PRCB 322SL	32	10	160	54.75
188	PRCB 402SL	40	10	160	65.50
189	PRCB 502SL	50	5	80	110.00

TERMINAL - 1 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
174	PRCB 201AL	20	20	360	21.50
175	PRCB 251AL	25	15	270	27.00

THROUGH - 2 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
190	PRCB 202SAL	20	15	270	24.00
191	PRCB 252SAL	25	10	180	28.25

ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
176	PRCB 192AL	19	20	400	24.00
177	PRCB 202AL	20	20	400	24.50
178	PRCB 252AL	25	15	300	28.75
179	PRCB 322AL	32	10	160	54.75
180	PRCB 402AL	40	10	160	65.50
181	PRCB 502AL	50	5	80	110.00

TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
192	PRCB 193L	19	20	400	26.00
193	PRCB 203L	20	20	400	27.00
194	PRCB 253L	25	15	300	33.00
195	PRCB 323L	32	5	110	56.00
196	PRCB 403L	40	5	110	68.00
197	PRCB 503L	50	5	80	118.00

ANGLE - 2 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
182	PRCB 202AAL	20	15	270	24.00
183	PRCB 252AAL	25	10	180	28.25

TEE - 3 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
198	PRCB 203AL	20	15	270	25.50
199	PRCB 253AL	25	10	180	30.75



CIRCULAR BOX WITH LID & SCREW

INTERSECTION - 4 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
200	PRCB 194L	19	20	320	27.75
201	PRCB 204L	20	20	320	28.25
202	PRCB 254L	25	15	240	36.50
203	PRCB 324L	32	5	110	58.50
204	PRCB 404L	40	5	110	76.00
205	PRCB 504L	50	5	80	127.50

INTERSECTION - 4 WAY (AUTO LID W/O SCREW) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
206	PRCB 204AL	20	12	216	27.75
207	PRCB 254AL	25	15	150	35.50

PP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY (POLYPROPYLENE) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
208	PPCB194L	19	15	240	20.50
209	PPCB254L	25	10	250	24.50

PP DEEP CIRCULAR BOX WITH LID & SCREW



INTERSECTION - 4 WAY (POLYPROPYLENE) DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
210	PPCB194DL	19	12	240	24.50
211	PPCB254DL	25	10	200	35.00

DEEP CIRCULAR BOX WITH LID & SCREW

TERMINAL - 1 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
212	PRCB 191DL	19	10	280	34.75
213	PRCB 201DL	20	10	280	35.50
214	PRCB 251DL	25	10	280	41.75
215	PRCB 321DL	32	10	280	56.75

DEEP CIRCULAR BOX WITH LID & SCREW

ANGLE - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
216	PRCB 192ADL	19	10	280	36.25
217	PRCB 202ADL	20	10	280	36.75
218	PRCB 252ADL	25	10	280	43.00
219	PRCB 322ADL	32	10	280	58.75

THROUGH - 2 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
220	PRCB 192SDL	19	10	200	36.25
221	PRCB 202SDL	20	10	200	36.75
222	PRCB 252SDL	25	10	200	43.00
223	PRCB 322SDL	32	10	200	58.75

TEE - 3 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
224	PRCB 193DL	19	10	220	40.00
225	PRCB 203DL	20	10	220	40.75
226	PRCB 253DL	25	10	220	49.50
227	PRCB 323DL	32	10	160	60.00

INTERSECTION - 4 WAY DEEP CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
228	PRCB 194DL	19	10	220	40.50
229	PRCB 204DL	20	10	220	41.75
230	PRCB 254DL	25	10	220	52.00
231	PRCB 324DL	32	10	160	62.50

BRANCH - 2 WAY (U) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
232	PRCB 19UL	19	20	400	36.75
233	PRCB 20UL	20	20	400	37.25
234	PRCB 25UL	25	20	400	48.25

BRANCH - 3 WAY (Y) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
235	PRCB 19YL	19	15	300	39.25
236	PRCB 20YL	20	15	300	40.75
237	PRCB 25YL	25	15	300	51.75



ROUND CONDUIT uPVC PIPE FITTINGS

HSN : 39174000



BRANCH - 4 WAY (H) CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
238	PRCB 19HL	19	15	300	41.00
239	PRCB 20HL	20	15	300	42.00
240	PRCB 25HL	25	15	300	55.00

BACK OUTLET - 1 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
241	PRCB 201 BOL	20	20	400	36.50
242	PRCB 251 BOL	25	15	300	49.50

BACK OUTLET THROUGH - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
243	PRCB 202S BOL	20	15	300	37.00
244	PRCB 252S BOL	25	15	240	51.75

BACK OUTLET ANGLE - 2 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
245	PRCB 202A BOL	20	15	300	37.00
246	PRCB 252A BOL	25	15	240	51.75

BACK OUTLET TEE - 3 WAY CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
247	PRCB 203 BOL	20	15	300	40.75
248	PRCB 253 BOL	25	15	240	55.25

CIRCULAR EXTENSION RING



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
249	PRER 20	20	50	800	12.50
250	PRER 25	25	40	640	16.00

LOOP IN BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
251	PRLB 19	19 (4 punch)	20	400	17.75
252	PRLB 20	20 (4 punch)	20	400	17.75
253	PRLB 25	25 (2 punch)	20	400	17.75

LOOP IN BOX EXTENSION



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
254	PRLB 20E	20	24	384	27.00

COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
255	PCR 19	19	100	2000	4.75
256	PCR 20	20	100	2000	5.25
257	PCR 20 L	20 Long	150	2400	5.75
258	PCR 25	25	100	2000	7.25
259	PCR 32	32	60	960	12.50
260	PCR 38	38	30	480	19.25
261	PCR 40	40	30	480	21.75
262	PCR 50	50	20	320	37.25

EXPANSION COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
263	PCR 20E	20	20	600	7.25
264	PCR 25E	25	12	360	12.50
265	PCR 32E	32	8	240	22.75
266	PCR 38E	38	10	200	29.25
267	PCR 50E	50	10	160	41.50

(PIPE TO FITTING) REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
268	PRR1	25>20	250	4000	7.25

(PIPE TO PIPE) REDUCER COUPLER



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
269	PRR 2520	25 > 20	75	1500	7.25
270	PRR 3220	32 > 20	60	1200	9.50
271	PRR 3225	32 > 25	40	800	12.50
272	PRR 4020	40 > 20	48	960	16.00
273	PRR 4032	40 > 32	32	640	17.75
274	PRR 5032	50 > 32	30	480	21.50
275	PRR 5040	50 > 40	30	480	21.75

IS:3419



ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000



1988

SLIP TYPE BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
276	PRBN 19	19	65	1040	7.75
277	PRBN 20	20	65	1040	8.25
278	PRBN 25	25	35	560	13.50
279	PRBN 32	32	20	320	36.00
280	PRBN 38	38	10	160	44.25
281	PRBN 40	40	10	160	73.00
282	PRBN 50	50	5	80	99.50
283	PRBN 63	63	-	50	145.50

SLIP TYPE LONG BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
284	PRBL 19	19	45	720	12.00
285	PRBL 20	20	45	720	12.50
286	PRBL 25	25	20	320	20.75
287	PRBL 32	32	10	160	50.00
288	PRBL 38	38	-	100	60.50
289	PRBL 40	40	-	80	98.00
290	PRBL 50	50	-	55	147.50

SPACE BAR SADDLE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
291	PRBS 19	19	100	2000	6.75
292	PRBS 20	20	100	2000	7.25
293	PRBS 25	25	100	2000	8.75
294	PRBS 32	32	100	1600	15.00
295	PRBS 38	38	80	1280	16.50
296	PRBS 40	40	80	1280	16.75
297	PRBS 50	50	60	960	20.00
298	PRBS 63	63	-	50	26.25

SADDLE STRAP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
299	PRSS 19	19	100	2000	4.00
300	PRSS 20	20	100	2000	4.25
301	PRSS 25	25	100	2000	5.75
302	PRSS 32	32	100	1600	6.75
303	PRSS 38	38	80	1280	8.25
304	PRSS 40	40	80	1280	8.75
305	PRSS 50	50	60	960	11.75

(POLYPROPYLENE)

SELF LOCKING SADDLE CLIP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
306	PPSC20SL	20	75	450	9.50
307	PPSC25SL	25	50	300	12.00

ROUND 'U' CLIP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
308	PRUC 20	20	200	4000	7.50
309	PRUC 25	25	100	3000	11.75

END CAP



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
310	PREC 20	20	150	3000	2.75
311	PREC 25	25	100	2000	4.75
312	PREC 32	32	70	1400	5.75
313	PREC 40	40	32	640	11.00
314	PREC 50	50	24	480	15.75

MALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
315	PMBA 19	19	100	2000	7.25
316	PMBA 20	20	100	2000	7.75
317	PMBA 25	25	100	2000	9.25

FEMALE BUSH ADAPTOR



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
318	PFBA 19	19	100	2000	7.25
319	PFBA 20	20	100	2000	7.75
320	PFBA 25	25	100	2000	9.75
321	PFBA 32	32	75	1200	15.00
322	PFBA 38	38	50	800	20.25
323	PFBA 40	40	50	800	20.25
324	PFBA 50	50	25	400	34.25

ROUND ELBOW



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
325	PRE 20	20	125	2500	7.25
326	PRE 25	25	75	1200	9.75
327	PRE 32	32	20	400	13.75
328	PRE 40	40	15	300	21.25
329	PRE 50	50	10	200	34.00

IS:3419



1988

ROUND CONDUIT UPVC PIPE FITTINGS

HSN : 39174000



ROUND TEE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
330	PRT 20	20	50	1500	12.00
331	PRT 25	25	50	800	14.75
332	PRT 32	32	15	300	17.00
333	PRT 40	40	10	200	25.25
334	PRT 50	50	10	160	40.00

INSPECTION ELBOW



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
335	PIE 20	20	20	600	31.00
336	PIE 25	25	20	400	38.50

INSPECTION TEE



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
337	PIT 20	20	20	600	30.50
338	PIT 25	25	20	400	45.50

INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
339	PIB 20	20	20	600	30.75
340	PIB 25	25	20	400	45.25

ADAPTABLE BOX WITH LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
341	PAB 75L	3" x 3" x 2" 75x75x50	10	200	66.50
342	PAB 110L	4" x 4" x 3" 110x110x75	-	100	131.00
343	PAB 160L	6" x 4" x 3" 160x110x75	-	75	264.50
344	PAB 160SL	6" x 6" x 3" 160x160x75	-	50	288.50
345	PAB 225SL	9" x 9" x 3" 225x225x75	-	20	624.50
346	PAB 300SL	12" x 12" x 4" 300x300x110	-	5	1,319.50

(WHITE)

SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
347	PSB1	3" x 3"	10	300	41.75
348	PSB2	6" x 3"	10	200	71.50

(WHITE)

SWITCH BOX LID



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
349	PSBL1 LID	3" x 3"	40	1200	18.00
350	PSBL2 LID	6" x 3"	25	750	24.25

(SWITCH BOX)

FLUSH MOUNTED



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
351	PFSB1	3" x 3" x 2"	10	200	47.00
352	PFSB2	6" x 3" x 2"	10	160	63.00

(BLACK)

FAN BOX



SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
353	PRFB20	20 Standard	10	220	49.50
354	PRFB25	25 Standard	10	220	49.50
355	PRFB20SL	20 Large	10	140	67.00
356	PRFB25SL	25 Large	10	140	67.00
357	PRFBRD2025	20/25 with Rod	1	28	202.00
358	PRFBRD25	25 with Rod	1	28	202.00

METAL FAN BOX WITH ROD (BROWN)



HSN : 73072900

SR. NO.	PRODUCT CODE	SIZE OD (mm)	STANDARD PACK Pc./Bag	RATE Pc
359	PMFB 2025	20/25	50	200.00

UPVC SOLVENT CEMENT

HSN: 35061000



SR. NO.	PRODUCT CODE	SIZE (ml)	STANDARD PACK		RATE Pc
			Colour	Pc./Box Pc./Carton	
360	PSC100 ML	100ml	Transparent	24 144	88.00
361	PSC250 ML	250ml	Transparent	24 96	158.00
362	PSC500 ML	500ml	Transparent	12 48	267.50
363	PSC1L	1L	Transparent	6 24	460.50
364	PSC5L	5L	Transparent	- 6	1,853.00

PVC ELECTRICAL INSULATION TAPE

HSN : 85469090



SR. NO.	PRODUCT CODE	SIZE W(mm)xL(Mtr)	STANDARD PACK		RATE Pc
			Pc./Box	Pc./Carton	
365	PPIT 18	18x6	30	540	14.00

✳ 20mm Knockout Available △ 32/38/40mm Knockout Available

✳ 20/25 Knockout Available ◇ 50mm Knockout Available

ALL WEATHER BOXES

Precision All Weather Boxes are manufactured from high quality impact resistant Engineering Thermoplastics (Polycarbonate / ABS). The material itself is self-extinguishing and our specially developed formulation gives it special ability to withstand high temperatures. The product passes stringent IP 67 standard requirements which makes it suitable to use indoor and outdoor in harsh environment. Our specially made design gives it highest level of safety from unwanted ingress of oil / water / any other solid waste.



Applications

Enclosure boxes for electrical installations. Suitable for Outdoor / Indoor environment.

Features

- IP 67 compliance, suitable for Outdoor Installations (CIPET tested)
- Specially formulated Engineering Thermoplastic (Polycarbonate / ABS) gives temperature protection ranging from -40°C to $+90^{\circ}\text{C}$
- Weatherproof, Dust proof and Impact resistant
- Transparent lids ensure enhanced visibility
- Innovative design makes compatible for various types of Switchgears / Electrical components
- Body part with adequate molded markings for easy cable entry location from all sides
- Various sizes available as per individual choice
- Screws supplied are made up of anti-rust SS / Engineering Plastic for corrosion free working and durability as well.



ALL WEATHER BOXES

IP 67 HSN : 85381010

GREY



ALL WEATHER BOXES OPAQUE LID (ABS)

Sr No.	Product Code	Size L x W x H (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
366	PAB 8383OL	83 X 83 X 65	21	190.00
⊗ 367	PAB 8888OL	88 X 88 X 53	27	199.00
⊗ 368	PAB 9898OL	98 X 98 X 61	24	220.00
369	PAB 100100OL	100 X 100 X 65	21	221.00
370	PAB 13080OL	130 X 80 X 65	16	254.50
371	PAB 130130OL	130 X 130 X 80	16	377.00
⊗ 372	PAB 139119OL	139 X 119 X 70	10	213.50
⊗ 373	PAB 167125OL	167 X 125 X 82	12	265.00
374	PAB 18080OL	180 X 80 X 90	12	308.00
375	PAB 1801OL	180 X 130 X 75	16	418.50
376	PAB 1802OL	180 X 130 X 100	12	423.00
377	PAB 180180OL	180 X 180 X 100	20	544.00
⊗ 378	PAB 200160OL	200 X 160 X 98	8	417.50
379	PAB 210190OL	210 X 190 X 100	6	625.50
380	PAB 27080OL	270 X 80 X 90	12	378.00
381	PAB 280190OL	280 X 190 X 130	4	775.00
382	PAB 280280OL	280 X 280 X 130	2	1,093.00
383	PAB 380190OL	380 X 190 X 130	3	1,002.50
384	PAB 380280OL	380 x 280 x 130	2	1,424.00
385	PAB 560380OL	560 X 380 X 180	2	3,317.00

⊗ With Knockout

ALL WEATHER BOXES TRANSPARENT LID (ABS)



Sr No.	Product Code	Size L x W x H (mm)	Standard Pack (Pc/Carton)	Rate (Pc)
386	PAB 18080TL	180 X 80 X 90	12	356.00
387	PAB 27080TL	270 X 80 X 90	12	443.50
388	PAB 180130TL	180 X 130 X 100	12	431.50
389	PAB 180180TL	180 X 180 X 100	20	559.50
390	PAB 210190TL	210 X 190 X 100	6	651.00
391	PAB 280190TL	280 X 190 X 130	4	843.50
392	PAB 280280TL	280 X 280 X 130	2	1,145.00
393	PAB 380190TL	380 X 190 X 130	3	1,145.00
394	PAB 380280TL	380 x 280 x 130	2	1,660.00
395	PAB 560380TL	560 X 380 X 180	2	3,782.00



G.I. & M.S. CONDUIT PIPES & FITTINGS

Precision G.I & M.S. Conduit Pipes are manufactured from rigorously tested raw material, in accordance with IS 9537 Part – 2.

G.I. Conduit Pipes are coated at a hot dipped galvanising plant in which iron or steel is coated with a layer of zinc. This coating makes the conduit safe and durable for industrial installations, coastal line atmosphere & thermal power stations.

M.S. Conduit Pipes are treated and coated with paint.

Applications

Channelising electrical surface wiring and cable ducting.

Features



Anti - Rust Coat



Good Finish



Easy to cut



High resistance to Corrosion



DIMENSIONS OF G.I. & M.S. CONDUIT PIPES

NORMAL SIZE	OUTSIDE DIAMETER	TOLERANCE OD	WALL THICKNESS	WALL THICKNESS TOLERANCE
MM	MM	MM	MM	MM
20	20	0 -0.3	1.60	±0.2
25	25	0 -0.4	1.60	±0.2
32	32	0 -0.4	1.60	±0.2
40	40	0 -0.4	2.00	+0.2 -0.4
50	50	0 -0.5	2.00	+0.2 -0.4

IS: 9537 G.I. & M.S. CONDUIT PIPES

HSN : 73069090



COLOUR : SILVER

G.I. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
396	PGIC 20	20	26 x 3m	78	231.00
397	PGIC 25	25	21 x 3m	63	280.00
398	PGIC 32	32	16 x 3m	48	420.00
399	PGIC 40	40	10 x 3m	30	665.00
400	PGIC 50	50	5 x 3m	15	755.00



COLOUR : BLCK

M.S. CONDUIT PIPES

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Pc./Mtr	Mtr./Bdl.	
401	PMSC 20	20	26 x 3m	78	145.00
402	PMSC 25	25	21 x 3m	63	185.00
403	PMSC 32	32	16 x 3m	48	260.00
404	PMSC 40	40	10 x 3m	30	435.00
405	PMSC 50	50	5 x 3m	15	570.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



CIRCULAR BOX WITH LID AND SCREW

TERMINAL -1 WAY (SCREW TYPE)
G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
406	PGIB 251	25	20	200	76.00

TERMINAL -1 WAY (SCREW TYPE)
M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
407	PMSB 201	20	20	200	51.00
408	PMSB 251	25	20	200	57.00

G.I. & M.S. CONDUIT PIPE FITTINGS

HSN : 73269099



CIRCULAR BOX WITH LID AND SCREW

THROUGH - 2 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
409	PGIB 252S	25	20	200	79.00

INTERSECTION - 4 WAY (SCREW TYPE)



M.S. CIRCULAR BOX

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
416	PMSB 204	20	20	200	62.00
417	PMSB 254	25	20	200	68.00

THROUGH - 2 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
410	PMSB 202S	20	20	200	62.00
411	PMSB 252S	25	20	200	59.00

THREAD TYPE G.I. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
418	PGI 25IBT	25	20	200	80.00

TEE - 3 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
412	PGIB 253	20	20	200	83.50

THREAD TYPE M.S. INSPECTION BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
419	PMS 20IBT	20	20	200	59.00
420	PMS 25IBT	25	20	200	60.50

TEE - 3 WAY (SCREW TYPE) M.S. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
413	PMSB 203	20	20	200	62.00
414	PMSB 253	25	20	200	68.00

INTERNAL THREAD M.S. NORMAL BEND



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
421	PMS 25NBIT	25	12	144	103.00

INTERSECTION - 4 WAY (SCREW TYPE) G.I. CIRCULAR BOX



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	Pc
415	PGIB 254	25	20	200	87.50



uPVC MINI / MAXI TRUNKING PROFILE & FITTINGS

Precision uPVC Mini/Maxi Trunking Profile and Fittings are manufactured from high impact unplasticised polyvinyl chloride (uPVC) grade material capable of withstanding the most hazardous conditions on-site and exceeds the most stringent requirements of Indian and International standards. The product range brings a whole new world of sophistication and convenience to home, office and commercial establishments and is in accordance with Indian Standard IS 14927 - Part 2 and BS EN 50085 -2-1.

Precision uPVC Maxi Trunking Profile Cable Management System is designed for convenience and safety with compartments for separate wiring applications. Maxi Trunking Profile Fittings are available in moulded and fabricated form, thus adding a sleek touch to your interiors.

Applications

To organize and protect cables on surface.



Easy and quick installation



Secure & Elegant look



Various sizes available



Durable & Impact Resistant



Fire retardant



Thermal resistant (-5° C to +60° C)





UPVC MINI / MAXI TRUNKING PROFILE

CE FR HSN: 39162019

IVORY

WHITE

IVORY/WHITE

UPVC MINI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
422	PT2012	20 x 12	100 x 2m	200	21.50
423	PT2512	25 x 12	100 x 2m	200	25.50
# 424	PT3015	30 x 15	100 x 2m	200	27.00
425	PT3212	32 x 12	100 x 2m	200	31.75
# 426	PT1616	16 x 16	100 x 2m	200	20.50
427	PT2516	25 x 16	100 x 2m	200	30.75
# 428	PT3216	32 x 16	100 x 2m	200	28.25
429	PT3816	38 x 16	50 x 2m	100	50.00
430	PT3825	38 x 25	50 x 2m	100	56.50
431	PT3838	38 x 38	25 x 2m	50	75.00
432	PT5016	50 x 16	50 x 2m	100	86.50

Special Size
∞ 100 x 50

WHITE

UPVC MAXI TRUNKING PROFILE



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
433	PT5050	50 x 50	20 x 2m	40	143.50
434	PT7550	75 x 50	12 x 2m	24	348.50
435	PT7575	75 x 75	9 x 2m	18	452.00
436	PT10050	100 x 50	10 x 2m	20	479.00
437	PT100100	100 x 100	6 x 2m	12	656.50
438	PT15050	150 x 50	5 x 2m	10	855.50

WHITE

UPVC MAXI TRUNKING PROFILE DIVIDER



SR. NO.	PRODUCT CODE	SIZE (WxH)	STANDARD PACK		RATE (Mtr)
		(mm)	Pc./Mtr	Mtr / Bdl	
∞ 439	PMTD	Standard	50 x 2m	100	77.50

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000

IVORY

WHITE

COUPLER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
440	PTC 2012	20 x 12	100	2.75
441	PTC 2512	25 x 12	100	2.50
442	PTC 3212	32 x 12	100	2.50
443	PTC 1616	16 x 16	100	2.75
444	PTC 3816	38 x 16	50	4.75
445	PTC 3825	38 x 25	50	5.75
446	PTC 10050	100 x 50(W)	10	14.00

TEE



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
454	PTT 2012	20 x 12	100	4.75
455	PTT 2512	25 x 12	50	4.25
456	PTT 3212	32 x 12	50	5.75
457	PTT 1616	16 x 16	100	4.75
458	PTT 3816	38 x 16	50	7.25
459	PTT 3825	38 x 25	50	8.25
460	PTT 10050	100 x 50(W)	10	55.00

ELBOW



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
447	PTB 2012	20 x 12	100	4.25
448	PTB 2512	25 x 12	100	2.75
449	PTB 3212	32 x 12	100	4.75
450	PTB 1616	16 x 16	100	2.75
451	PTB 3816	38 x 16	100	5.75
452	PTB 3825	38 x 25	100	7.25
453	PTB 10050	100 x 50(W)	10	58.50

INTERNAL BEND



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
461	PTI 2512	25 x 12	100	2.00
462	PTI 3212	32 x 12	100	2.75
463	PTI 1616	16 x 16	100	2.75
464	PTI 3816	38 x 16	100	4.75
465	PTI 3825	38 x 25	50	6.25
466	PTI 10050	100 x 50(W)	10	22.50

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (MOULDED)

HSN: 39174000



EXTERNAL BEND

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
467	PTE 2512	25 x 12	100	2.00
468	PTE 3212	32 x 12	100	4.25
469	PTE 1616	16 x 16	100	4.75
470	PTE 3816	38 x 16	100	5.75
471	PTE 3825	38 x 25	50	8.50
472	PTE 10050	100 x 50(W)	10	40.25



4 - WAY

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
473	PTW3212	32 x 12	50	9.50



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Box	RATE Pc
474	PMTC 100	100 x 50(W)	50	12.50

- ABS

(POLY PROPYLENE) JUNCTION LINKER



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE Pc
		(mm)	Pc./Bag	Pc./Carton	
475	PTJL7575	Standard	20	300	7.00

TRUNKING KNOCKOUT SURFACE SWITCH BOX



SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK		RATE Pc
		(mm)	Pc./Box	Pc./Carton	
476	PTSB1	3"x3" (W)	10	300	41.25
477	PTSB2	6"x3" (W)	10	200	68.00

\$ 16 x 16, 25 x 16 Knockout Available
(W) - White

UPVC MINI / MAXI TRUNKING PROFILE FITTINGS (FABRICATED)

HSN: 39174000



ELBOW

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
478	PMTL50	50 x 50	5	81.00
479	PMTL751	75 x 50	5	194.50
480	PMTL752	75 x 75	5	231.50
481	PMTL1002	100 x 100	5	332.50
482	PMTL1501	150 x 50	5	314.50



TEE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
483	PMTT50	50 x 50	5	114.50
484	PMTT751	75 x 50	5	194.50
485	PMTT752	75 x 75	5	231.50
486	PMTT1002	100 x 100	5	332.50
487	PMTT1501	150 x 50	5	314.50



INTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
488	PMTI50	50 x 50	5	81.00
489	PMTI751	75 x 50	5	194.50
490	PMTI752	75 x 75	5	231.50
491	PMTI1002	100 x 100	5	332.50
492	PMTI1501	150 x 50	5	314.50




EXTERNAL ANGLE

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
493	PMTE50	50 x 50	5	81.00
494	PMTE751	75 x 50	5	194.50
495	PMTE752	75 x 75	5	231.50
496	PMTE1002	100 x 100	5	332.50
497	PMTE1501	150 x 50	5	314.50



END CAP

SR. NO.	PRODUCT CODE	SIZE (W x H) (mm)	STANDARD PACK Pc./Bag	RATE Pc
498	PFTC50	50 x 50	5	22.75
499	PFTC751	75 x 50	5	31.50
500	PFTC752	75 x 75	5	36.50
501	PFTC1002	100 x 100	5	76.50
502	PFTC1501	150 x 50	5	84.50



METALLIC CABLE MANAGEMENT SYSTEM

Precision after serving India and overseas markets all these years in routing wires through our conduits, we have launched metallic cable management system to route HT/ LT/ LV cables through our Perforated, Ladder & Trunking cable tray with accessories.

It comes in 3 major categories as follows.

- a) Trunking Cable Tray (TCT) and Fittings
- b) Perforated Cable Tray (PCT) and Fittings
- c) Ladder Cable Tray (LCT) and Fittings

All above categories are further divided in various finishes such as

- i) Hot Dip Galvanized (HDG)
- ii) Powder Coated (PC)
- iii) Enamel Painted (EP)
- iv) Pre-Galvanized Sheets (PG)

Applications

Metallic Cable Management System for HT/LT/ LV cables Suitable for Indoor and Outdoor environment.

Features

- Available in different Thicknesses ranging from 1.6 mm to 3.0 mm
- Various Width x Height sizes available to make it cost effective
- Choice of Finishes/Raw Materials available as per individual requirements
- Available in standard length of 2.5Mtr
- Once fixed, it is absolutely Maintenance Free
- Availability of lids makes it easy to open in case of future work at later stage
- All raw material used is of IS grade
- Complimentary 2 nos of Coupler Plates & Nut-Bolts with each Cable Tray
- Suitable Fittings available in all categories of Cable Tray
- Hot dip Galvanizing comes with 65 μ m as standard Zinc coating. For humid and corrosive environment 80/120 μ m coating is also available as per requirements.

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090

TRUNKING CABLE TRAY (TCT)



Sr No.	SIZE W x H (mm)	COVER W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
503	50 x 38	55 X 12	2.5	1
504	50 x 50	55 X 12	2.5	1
505	100 x 50	105 X 12	2.5	1
506	150 x 50	155 X 12	2.5	1
507	200 x 50	205 X 12	2.5	1
508	300 x 50	305 X 12	2.5	1
509	450 x 50	455 X 12	2.5	1
510	600 x 50	605 X 12	2.5	1
511	100 x 70	105 X 12	2.5	1
512	150 x 75	155 X 12	2.5	1
513	200 x 75	205 X 12	2.5	1
514	300 x 75	305 X 12	2.5	1
515	450 x 75	455 X 12	2.5	1
516	600 x 75	605 X 12	2.5	1

ACCESSORIES FOR TRUNKING CABLE TRAY (TCT)



Sr No	Fitting	Type	Standard Pack (Pc)
517	45° Bend	Horizontal	1
518	45° Bend	Vertical	1
519	90° Bend	Horizontal	1
520	90° Bend	Vertical	1
521	Tee joint	Equal	1
522	Tee joint	Unequal	1
523	Reducer joint	Concentric	1
524	Reducer joint	Eccentric	1
525	4 way Cross joint	Equal	1
526	4 way Cross joint	Unequal	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

All above fittings are available for TCT range from 50 x 38 mm to 600 x 75 mm.

PERFORATED CABLE TRAY (PCT)



Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
527	50 x 50	2.5	1
528	100 x 50	2.5	1
529	150 x 50	2.5	1
530	200 x 50	2.5	1
531	300 x 50	2.5	1
532	450 x 50	2.5	1
533	600 x 50	2.5	1
534	100 x 75	2.5	1
535	150 x 75	2.5	1
536	200 x 75	2.5	1
537	300 x 75	2.5	1
538	450 x 75	2.5	1
539	600 x 75	2.5	1
540	150 x 100	2.5	1
541	200 x 100	2.5	1
542	300 x 100	2.5	1
543	450 x 100	2.5	1
544	600 x 100	2.5	1

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090



ACCESSORIES FOR PERFORATED CABLE TRAY (PCT)

Sr No	Fitting	Type	Standard Pack (Pc)
545	45° Bend	Horizontal	1
546	45° Bend	Vertical	1
547	90° Bend	Horizontal	1
548	90° Bend	Vertical	1
549	Tee joint	Equal	1
550	Tee joint	Unequal	1
551	Reducer joint	Concentric	1
552	Reducer joint	Eccentric	1
553	4 way Cross joint	Equal	1
554	4 way Cross joint	Unequal	1



All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

Covers are available for Perforated Cable Tray also.

All above fittings are available for PCT range from 50 x 50 mm to 600 x 100 mm.

LADDER CABLE TRAY (LCT)


Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
555	100 x 50	2.5	1
556	150 x 50	2.5	1
557	200 x 50	2.5	1
558	300 x 50	2.5	1
559	450 x 50	2.5	1
560	600 x 50	2.5	1
561	750 x 50	2.5	1
562	900 x 50	2.5	1
563	1000 x 50	2.5	1
564	100 x 75	2.5	1
565	150 x 75	2.5	1
566	200 x 75	2.5	1
567	300 x 75	2.5	1
568	450 x 75	2.5	1
569	600 x 75	2.5	1
570	750 x 75	2.5	1

Sr No	Size W x H (mm)	Standard Length (Mtr)	Standard Pack (Pc)
571	900 x 75	2.5	1
572	1000 x 75	2.5	1
573	1200 x 75	2.5	1
574	1500 x 75	2.5	1
575	150 x 100	2.5	1
576	200 x 100	2.5	1
577	300 x 100	2.5	1
578	450 x 100	2.5	1
579	600 x 100	2.5	1
580	750 x 100	2.5	1
581	900 x 100	2.5	1
582	1000 x 100	2.5	1
583	1200 x 100	2.5	1
584	1500 x 100	2.5	1

METALLIC CABLE MANAGEMENT SYSTEM

HSN : 73089090

ACCESSORIES FOR LADDER CABLE TRAY (LCT)



SLOTTED C SECTION

Sr No	Fitting	Type	Standard Pack (pc)
585	45° Bend	Horizontal	1
586	45° Bend	Vertical	1
587	90° Bend	Horizontal	1
588	90° Bend	Vertical	1
589	Tee joint	Equal	1
590	Tee joint	Unequal	1
591	Reducer joint	Concentric	1
592	Reducer joint	Eccentric	1
593	4 way Cross joint	Equal	1
594	4 way Cross joint	Unequal	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.

Covers are available for Ladder Cable Tray also.

All above fittings are available for LCT range from 100 x 50 mm to 1500 x 100 mm

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
612	15 X 30 X 15	2.5	1
613	15 X 35 X 15	2.5	1
614	20 X 35 X 20	2.5	1
615	25 X 35 X 25	2.5	1
616	15 X 40 X 15	2.5	1
617	20 X 40 X 20	2.5	1
618	25 X 40 X 25	2.5	1
619	15 X 50 X 15	2.5	1
620	20 X 50 X 20	2.5	1
621	25 X 50 X 25	2.5	1

SLOTTED L SECTION



SLOTTED Z SECTION



Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
595	25 x 25	2.5	1
596	25 x 30	2.5	1
597	25 x 35	2.5	1
598	30 x 30	2.5	1
599	30 x 35	2.5	1
600	30 x 40	2.5	1
601	30 x 45	2.5	1
602	35 x 30	2.5	1
603	35 x 35	2.5	1
604	30 x 40	2.5	1
605	40 x 35	2.5	1
606	40 x 40	2.5	1
607	40 x 45	2.5	1
608	40 x 50	2.5	1
609	45 x 45	2.5	1
610	45 x 50	2.5	1
611	50 x 50	2.5	1

Sr No	Size (mm)	Standard Length (Mtr)	Standard Pack (Pc)
622	25 X 25 X 25	2.5	1
623	25 X 30 X 25	2.5	1
624	30 X 30 X 30	2.5	1
625	30 X 35 X 30	2.5	1
626	30 X 40 X 30	2.5	1
627	30 X 50 X 30	2.5	1
628	35 X 30 X 35	2.5	1
629	35 X 35 X 35	2.5	1
630	35 X 40 X 35	2.5	1
631	35 X 50 X 35	2.5	1
632	40 X 35 X 40	2.5	1
633	40 X 40 X 40	2.5	1
634	45 X 40 X 45	2.5	1
635	45 X 45 X 45	2.5	1
636	45 X 50 X 45	2.5	1
637	50 X 45 X 50	2.5	1
638	50 X 50 X 50	2.5	1

All above sizes are available:

In 1.60mm, 2.0 mm, 2.50mm and 3.0mm thickness also.

In HR / CRCA / Pre - Galvanised / Aluminum material also.

In Hot dip Galvanised / Powder Coated / Painted / Pre - Galvanised finishes also.



uPVC PANEL TRUNKING

Precision uPVC Panel Trunking is manufactured from high impact unplasticised polyvinyl chloride (uPVC) to ensure panel & machinery safety in extreme conditions. These trunkings are ideal to channelise medium, big size panels & various applications where economy, space saving, safety and durability are paramount.

Applications

To conduct, organise and protect cables inside electrical and telecommunication panels, industrial machinery wiring, computer LAN wiring and data centers.

GREY

Features



Flame retardant



Thermal resistant
(-5° C to +60°C)



High Tensile
Strength (390 kg/cm²)

- Non-brittle, warp proof.
- Vertical slides and detachable strips facilitates systematic wiring, permits faster connections, additions and fault tracing of wires.
- Avoids bunching, taping, and provides complete electrical insulation.
- Unique cover locking design prevents popping of wires while removing cover
- Elongated slots at bottom allows flexible mounting.

UPVC PANEL TRUNKING ≈ FRLS (€)

HSN : 85381010



STANDARD SLOT

UPVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
639	PPT1515	15 x 15	200 x 1m	200	43.00
640	PPT2525	25 x 25	130 x 1m	130	65.50
641	PPT3025	30 x 25	125 x 1m	125	70.00
642	PPT4525	45 x 25	90 x 1m	90	86.00
643	PPT4545	45 x 45	50 x 1m	50	119.00
644	PPT4560	45 x 60	50 x 1m	50	154.00
645	PPT6025	60 x 25	70 x 1m	70	110.00
646	PPT6040	60 x 40	60 x 1m	60	138.00
647	PPT6045	60 x 45	50 x 1m	50	139.00
648	PPT6060	60 x 60	40 x 1m	40	174.00
649	PPT7525	75 x 25	60 x 1m	60	140.00
650	PPT7575	75 x 75	30 x 1m	30	256.00
651	PPT10075	100 x 75	24 x 1m	24	421.00
652	PPT100100	100 x 100	16 x 1m	16	498.00

THIN SLOT

UPVC PANEL TRUNKING



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		H x W(mm)	Pc/Mtr	Mtr/Carton	
653	PPT3025TS	30 x 25	125 x 1m	125	73.00
654	PPT4525TS	45 x 25	90 x 1m	90	90.00
655	PPT4545TS	45 x 45	50 x 1m	50	126.00
656	PPT4560TS	45 x 60	50 x 1m	50	156.50
657	PPT6025TS	60 x 25	70 x 1m	70	118.00
658	PPT6040TS	60 x 40	60 x 1m	60	145.00
659	PPT6045TS	60 x 45	50 x 1m	50	146.00
660	PPT6060TS	60 x 60	40 x 1m	40	184.00



TOP COVER

UPVC PANEL TRUNKING

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		(mm)	Pc/Mtr	Mtr/Carton	
661	PPT25T	25	100 x 1m	100	27.00
662	PPT40T	40	50 x 1m	50	44.00
663	PPT45T	45	50 x 1m	50	47.00
664	PPT60T	60	50 x 1m	50	72.00
665	PPT75T	75	25 x 1m	25	73.00
666	PPT100T	100	25 x 1m	25	117.00

≈ FRLS: Fire Retardant - Low Smoke

CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

Precision Corrugated Flexible Conduit Pipes come in a wide and comprehensive range of material variants to suit a variety of applications. These conduits are manufactured in variants based on the final application for wiring purposes.

POLYPROPYLENE FLEXIBLE CONDUITS are the best solution for applications where resistance to constant flexing and vibration is essential, these conduits display excellent flexibility. Moreover, they are light weight and easy to install which makes them very popular. Temperature resistant from -5°C to $+90^{\circ}\text{C}$.

STEEL WIRE REINFORCED FLEXIBLE UPVC CONDUITS are manufactured with soft polyvinyl chloride (uPVC) wall fused to high tensile steel wire in a coiled state. These conduits are unaffected by inorganic acid, alkali & saline water. Most suitable for electrical wiring in buildings, switch boards, panels, machinery, dust collectors, air dusting, exhaust of fumes, shrouds of railway coach wiring and hospital equipments. Temperature resistant from -5°C to $+60^{\circ}\text{C}$.


GALVANISED STEEL FLEXIBLE CONDUIT
Precision Steel Flexible Conduit Pipes are made from galvanised steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in galvanized zinc coating with spiral corrugated pattern finished surface. Mostly used as low pressure hose in Industrial domestic air conditioning, ventilation systems and as mechanical protection for insulated electrical cables & wires which may be exposed to atmospheric conditions.

GALVANISED STEEL FLEXIBLE CONDUIT WITH PVC COATING

Precision PVC Coated Steel Flexible Conduit Pipes are made from galvanized steel, helical wound strips having a square lock type construction and are manufactured in accordance to Indian/British Standards in poly vinyl coating. They are available in black/grey colour with spiral corrugated pattern finished surface. Most suitable for mechanical protection of cable and wire in tunnels, hospitals, high-rise office blocks and public buildings.



Fire retardant



CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

HSN : 39173100



DIMENSIONS OF CORRUGATED FLEXIBLE CONDUITS

Nominal Diameter (mm)	Maximum Outside Diameter (mm)	Tolerance on Outside Diameter (mm)	Minimum Inside Diameter (mm)
10	10	-0.1	7.0
16	16	-0.3	10.7
20	20	-0.3	14.1
25	25	-0.4	18.3
32	32	-0.4	24.3
40	40	-0.4	31.2
50	50	-0.5	39.6
63	63	-0.6	52.6

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	15.5	12.5	40
20	3/4"	22.5	19.5	55
25	1"	28	25.0	60
32	1 1/4"	35.0	32.0	70
40	1 1/2"	42.0	38.0	80
50	2	54.0	50.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

DIMENSIONS OF GALVANIZED STEEL FLEXIBLE CONDUIT PIPES WITH PVC COATING

Nominal Size (mm)	Nominal Size (inch)	OD (mm)	ID (mm)	BENDING radius/mm
16	1/2"	16.5	12.5	40
20	3/4"	23.5	19.5	55
25	1"	29	25.0	60
32	1 1/4"	36.5	32.0	70
40	1 1/2"	44.0	38.0	80
50	2	57.0	51.0	90

*Tolerance: Size below 50mm, +/- 1mm & above 50mm +/- 3mm

(PP) POLY PROPYLENE



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
667	PCFC 10	10	100	1000	8.00
668	PCFC 16	16	50	500	8.00
669	PCFC 20	20	50	500	11.00
670	PCFC 25	25	25	250	16.00
671	PCFC 32	32	25	250	27.00
672	PCFC 40	40	20	100	37.50
673	PCFC 50	50	15	75	56.00
674	PCFC 63	63	10	50	87.00



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		OD (mm)	Mtr./Coil	Mtr./Bag	
675	PCCL 10	10	100	1000	12.00
676	PCCL 16	16	50	500	13.00
677	PCCL 20	20	50	500	18.00
678	PCCL 25	25	25	250	24.50
679	PCCL 32	32	25	250	40.00
680	PCCL 40	40	20	100	47.50
681	PCCL 50	50	15	75	65.50
682	PCCL 63	63	10	50	102.00

CORRUGATED FLEXIBLE CONDUIT PIPE FITTINGS

CORRUGATED FLEXIBLE CONDUIT GLAND

HSN : 39174000



SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE Pc
		OD (mm)	Pc./Box	Pc./Carton	
683	PFAG 16	16	125	2250	6.00
684	PFAG 20	20	75	1350	8.00
685	PFAG 25	25	50	900	10.50
686	PFAG 32	32	30	540	12.50
687	PFAG 40	40	20	360	18.00
688	PFAG 50	50	5	150	23.50

CORRUGATED FLEXIBLE CONDUIT PIPES & FITTINGS

STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT PIPE



HSN : 39172190

GREY

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE (Mtr)
		ID (mm)	Mtr./Coil	Mtr./Bag	
689	PCWR 10	10	30	300	56.00
690	PCWR 16	16	30	300	69.00
691	PCWR 20	20	30	240	94.50
692	PCWR 25	25	30	210	111.00
693	PCWR 30	30	30	150	144.00
694	PCWR 40	40	30	120	170.50
695	PCWR 50	50	30	90	194.50
696	PCWR 60	60	15	75	279.50

GALVANIZED STEEL FLEXIBLE CONDUIT PIPES



HSN : 83071000

SILVER

SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE (Mtr)
				Mtr./Coil	Mtr./Bag	
704	PGIFC 16	16	1/2"	15	210	40.50
705	PGIFC 20	20	3/4"	15	150	53.50
706	PGIFC 25	25	1"	15	105	82.00
707	PGIFC 32	32	1 1/4"	15	75	98.00
708	PGIFC 40	40	1 1/2"	15	75	109.50
709	PGIFC 50	50	2"	10	50	163.00

CORRUGATED FLEXIBLE CONDUIT PIPE FITTINGS

STEEL WIRE REINFORCED FLEXIBLE uPVC CONDUIT GLAND



HSN : 39174000

GREY

SR. NO.	PRODUCT CODE	SIZE	STANDARD PACK		RATE
		OD (mm)	Pc./Box	Pc./Carton	
697	PFRG 10	10	75	1350	10.50
698	PFRG 16	16	60	1080	11.50
699	PFRG 20	20	45	810	14.50
700	PFRG 25	25	30	540	19.50
701	PFRG 30	30	20	360	24.00
702	PFRG 40	40	15	270	31.50
703	PFRG 50	50	5	150	45.00

GALVANIZED STEEL FLEXIBLE CONDUIT WITH PVC COATING



HSN : 83071000

BLACK


GREY

SR. NO.	PRODUCT CODE	NORMAL SIZE (mm)	NORMAL SIZE (Inch)	STANDARD PACK		RATE (Mtr)
				Mtr./Coil	Mtr./Bag	
710	PGIFCP 16	16	1/2"	50	250	59.00
711	PGIFCP20	20	3/4"	25	150	78.50
712	PGIFCP 25	25	1"	25	125	119.50
713	PGIFCP 32	32	1 1/4"	15	75	142.00
714	PGIFCP 40	40	1 1/2"	15	75	167.50
715	PGIFCP 50	50	2"	15	60	238.00



Precision Plastic Industries Pvt. Ltd.

19/D, Nand Jyot Industrial Estate,
Safed Pool, Andheri - Kurla Road,
Andheri (East), Mumbai - 400072.
INDIA

 customer care : +91 77150 00015

 electrical@precisionpipes.com

 www.precisionpipes.com

